

STATE: Maharashtra

DATED: 30/06/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Papart): PS (Power Supply): T&F (Tools & Equipment):

	Inspection Report);PS						
Name, Address & File No. of Institute for ref. & Future correspondence draft		Trade	Units for which affiliation sought / recommended by			Approval by Sub-	Remarks
			40	Govt. ITI, Kalmeshwar, Dist. Nagpur Pin- 441501	Electronics Mech.	Addl. One Unit Addl. One	~
	Maharashtra	Piedi. NAC	Unit		Total 2(1+1)	Total 2(1+1)	
	DGET-6/13/63/97-TC	MMV	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
		Wireman	Addl. One Unit		Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
41	Shree Gajanan Maharaj Rural Private ITI, Umarl(Meghe), Wardha	Fitter	Addl. One Unit		Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-30/4/2011 w.e.f. Aug 2011
	Dist. Wardha Maharashtra	Wireman	Addi. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
	DGET-6/13/13/2009-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
42	Gourl Shankar Education & Charitable Trust's Gourishankar Private ITI, Plot. No. 989/990, NH-4, Near	Fitter	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-1/4/2011 w.e.f. Aug 2011
	Reliance petrol Pump AT/P.O. Limb Dist. Satara Pin- 415415				·		, ,
	Maharashtra DGET-6/13/26/2009-TC						
43.	Shri Parashram Balaji Patil Private ITI, Mudal Tal. Bhudargad Dist. Kolhapur Maharashtra	Painter (General)	Addi. One Unit	400	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-25/4/2011 w.e.f. Aug 2011
	DGET-6/13/12/2008-TC						

The state of the s