

STATE: Maharashtra



DATED: 15/7/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
3. Govt. ITI, Karanja (Lad) Darvha Road, Dist. Washim Pin- 444105 Maharashtra DGET-6/13/52/97-TC	Electronics Mech	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	SCIR-1/4/2010 w.e.f. Aug 2010 *Tools & Equipment not available as per Syllabus.
	Carpenter	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	Dress Making	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	Hair & Skin Care	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	Electrician	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	MMV	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	Welder	Addl. One Unit	Addl. One Unit	*Rejected	*Rejected	
	Fitter	One Unit	One Unit	*Rejected	*Rejected	
4. Govt. ITI, Murtizapur Dist-Akola Pin-444107 Maharashtra DGET-6/13/43/98-TC (Vol-II)	COPA	One Unit	One Unit	One Unit	One Unit	SCIR-1/4/2010 w.e.f. Aug 2010
	Electrician	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
	Welder	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
5. Shri Parashram Balaji Patil ITC, Mudal Tal. Bhudargad Dist. Kolhapur Maharashtra DGET-6/13/12/2008-TC	Painter (General)	One Unit	One Unit	One Unit	One Unit	SCIR-22/3/2010 w.e.f. Aug 2010